

# ONE UP

# MEGATRON

FLOOR FINISH

## FLOOR FINISH

*Dries to an extremely high level of gloss without sacrificing durability.  
Easy to maintain using traditional and high speed equipment.*

Megatron Floor Finish is designed for high traffic, high visibility floors. Because it dries to such a high level of gloss, you can start with a floor looking its best from the very first coat. For use on vinyl, vinyl asbestos, asphalt tile, rubber, linoleum, terrazzo etc. When used with the companion ONE UP Floor Care products your floors will never look better.

### Directions:

For complete application instructions see the ONE UP Floor Care Application Training Guide.

May be applied over other hard, non-wax finishes. For ultimate results, the old brand of finish should be removed using Mega-Strip Ultra Powerful Aggressive Stripper. Then apply Megatron Floor Finish to a clean, dry floor.

1. When applying to an uncoated floor, establish a base coat using 2 coats of Seal Shield Floor Sealer.
2. Apply one to three coats of Megatron in straight, even strokes that will cover fully, but not puddle. Allow at least 30 minutes between coats. Apply each coat less liberally than the previous one.



### Specifications:

Odor.....	Low
Appearance.....	White liquid
pH.....	8.5 ± 0.5
Specific Gravity.....	1.020 +/- 0.5
Flash Point.....	None
Non-Volatile.....	23%

### Companion Products:

Mega-Clean Neutral Cleaner  
Mega-Strip Floor Stripper  
Mega-Buff Gloss Restorer  
Seal Shield Protective Floor Sealer  
Rehab Anti-Slip Restoration Compound

Manufactured by:

The Bullen Companies, 1640 Delmar Drive, Folcroft, PA 19032  
Phone 800-444-8900 • Fax 610-534-8912 • e-mail [www.bullenonline.com](http://www.bullenonline.com)

# MATERIAL SAFETY DATA SHEET

(Prepared According to 29 CFR 1910.1200)

## SECTION 1 - PRODUCT IDENTIFICATION

Trade Name ONE UP MEGATRON

Product Type Floor Finish

## SECTION 2 - HAZARDOUS INGREDIENTS

CHEMICAL NAME/COMMON NAME	CAS NO.	PERCENT(optional)	TLV(Source)
Acrylic Copolymer	Proprietary		Not Established
Polyethylene (CAS 9002-88-4) / Polypropylene (CAS 9003-07-0)	Mixture		Not Established
2-(2-Ethoxyethoxy) Ethanol	111-90-0		Not Established
Tributoxyethyl Phosphate	78-51-3		Not Established

Other ingredients in this product are : ☒ Less than 1% by weight or less than 0.1% for carcinogens ☒ Not hazardous ☒ Declared to be Trade Secret

## SECTION 3 - PHYSICAL DATA

Boiling point(°F.) Near 212	Specific Gravity(H <sub>2</sub> O=1.0) (± 0.005) 1.02	pH (± 0.5) 8.5
Vapor Pressure(mm Hg) Unknown	Vapor Density(Air=1) Unknown	
Solubility in water <input type="checkbox"/> Complete <input type="checkbox"/> Insoluble <input checked="" type="checkbox"/> Emulsifiable (or Dispersible) <input type="checkbox"/> Slight (or Partial)		
Evaporation Rate(vs. H <sub>2</sub> O) <input type="checkbox"/> Faster <input checked="" type="checkbox"/> Slower <input type="checkbox"/> About the Same		
Appearance and Odor Milky liquid, characteristic odor.		

## SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point(T.C.C.) °F. <input checked="" type="checkbox"/> None to Boiling	Flammable Limits Upper Unknown Lower Unknown
Extinguishing Media CO <sub>2</sub> , dry chemical, foam, water spray.	
Special Firefighting Procedures Do not enter confined fire-spaces without protective clothing and self-contained air supply.	
Unusual Fire and Explosion Hazards None known.	

## SECTION 5 - REACTIVITY DATA

Stability Stable	Incompatibility Strong oxidizers
Hazardous Decomposition Products Carbon monoxide and other unidentified organic gases may occur during incomplete combustion.	

## SECTION 6 - HEALTH HAZARDS

Primary Routes of Exposure		<input checked="" type="checkbox"/> Eye	<input type="checkbox"/> Skin	<input type="checkbox"/> Oral	<input type="checkbox"/> Inhalation	<input type="checkbox"/> Other
Signs and Symptoms of Overexposure (Acute)		Eyes: redness. Effects of compositionally similar products (typical values): Rat Oral LD50>5 gm/kg; Rabbit, Dermal LD50>75gm/kg; Rabbit, skin irritation: practically non-irritating. 72 hr. mean irritation score = 0 to 2; Rabbit, eye irritation: mild to moderate irritation.				
Signs and Symptoms of Overexposure(Chronic)		None known				
Medical Conditions Aggravated by Overexposure		None known		Carcinogen/Suspect Carcinogen Ingredients		
				<input type="checkbox"/> NTP	<input type="checkbox"/> OSHA	<input type="checkbox"/> IARC
				<input checked="" type="checkbox"/> NONE		

## SECTION 7 - EMERGENCY AND FIRST AID PROCEDURES

Eyes Flush immediately with water for at least 15 minutes. If persistent irritation occurs, call a physician.
Skin Wash thoroughly with soap and water.
Ingestion Drink large quantities of milk or water. Call a physician.
Inhalation Remove exposed person to fresh air. Treat symptomatically.

## SECTION 8 - SPECIAL PROTECTION INFORMATION

Respiratory Protection Not needed under normal conditions of use.
Ventilation Requirements <input type="checkbox"/> Local Exhaust <input checked="" type="checkbox"/> Mechanical <input type="checkbox"/> Room Ventilation Is Adequate
Protective Gloves N/A Eye Protection Other Protective Clothing Not required for normal use

## SECTION 9 - SPILL OR LEAK PROCEDURES

Steps to be Taken if Released or Spilled Dike and contain spill with suitable absorbent and collect for disposal. Floors may be slippery. Care should be exercised to avoid falls.
Waste Disposal Methods Dispose of in accordance with applicable Federal, State and Local ordinances.

## SECTION 10 - STORAGE AND HANDLING INFORMATION

Precautions to be Taken Avoid freezing. Product may coagulate. Use with adequate ventilation. Avoid contact with eyes. Wash thoroughly after handling.  
in Handling and Storage

The health hazards given on the Material Safety Data Sheet apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of over exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure to the product, under normal conditions of use.